

CSI: WIC EDITION PREGNANT WIC CODES

Growth (Anthropometric) Codes and Blood Codes

Code #	Code Name	Pre-Pregnancy BMI Cut-off	AIM Notes/ Cut-offs	In Other Words										
101	Underweight		AIM uses old cut-offs. Over-ride with a note											
111	Overweight		AIM uses old cut-offs. Manually add to Risk List											
131	Low Maternal Weight Gain	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;"><u>BMI</u></td> <td style="width: 50%;"><u>Wt Gain Recs</u></td> </tr> <tr> <td>< 18.5</td> <td></td> </tr> <tr> <td>18.5-24.9</td> <td></td> </tr> <tr> <td>25.0-29.9</td> <td></td> </tr> <tr> <td>≥30.0</td> <td></td> </tr> </table>	<u>BMI</u>	<u>Wt Gain Recs</u>	< 18.5		18.5-24.9		25.0-29.9		≥30.0		Code assigned in 2 nd and 3 rd trimesters. AIM uses old cut-offs. Over-ride with a note	
<u>BMI</u>	<u>Wt Gain Recs</u>													
< 18.5														
18.5-24.9														
25.0-29.9														
≥30.0														
132	Maternal Weight Loss	N/A	Any weight loss below pre-pregnancy wt or wt loss of ≥2lbs between visits. AIM assigns currently.											
133	High Maternal Weight Gain	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;"><u>BMI</u></td> <td style="width: 50%;"><u>wt gain /week</u></td> </tr> <tr> <td>< 18.5</td> <td></td> </tr> <tr> <td>18.5-24.9</td> <td></td> </tr> <tr> <td>25.0-29.9</td> <td></td> </tr> <tr> <td>≥30.0</td> <td></td> </tr> </table>	<u>BMI</u>	<u>wt gain /week</u>	< 18.5		18.5-24.9		25.0-29.9		≥30.0		Code assigned in 2 nd and 3 rd trimesters. AIM uses old cut-offs. Manually add to Risk List	
<u>BMI</u>	<u>wt gain /week</u>													
< 18.5														
18.5-24.9														
25.0-29.9														
≥30.0														

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION PREGNANT WIC CODES

Clinical/Health and Medical Codes

All Codes Must be Evaluated by Counselor in the Health History Screen

Code #	Code Name	Description/Cut-off <i>All must be <u>Diagnosed</u> Unless marked with a *</i>	In Other Words
301	Hyperemesis Gravidarum	Severe and persistent nausea to the extent	
302	Gestational Diabetes	Any degree of glucose intolerance (high blood sugar) with first onset during pregnancy	
303	Hx of Gestational Diabetes	History of Gestational Diabetes in any previous pregnancy	
304	Hx of Preeclampsia	History of Preeclampsia in any previous pregnancy	
311	Hx of Preterm Delivery	A previous baby born at ≤ 37 wks*	
312	Hx of Low Birth Weight	Any previous baby born at ≤ 5 lbs 8 oz*	
321	Hx of Fetal or Neonatal Loss	Hx of an involuntary loss of any pregnancy or any previous baby who died within first 28 days of life*	
331	Pregnancy at a Young Age	Conception ≤ 17 yrs of age*	
332	Closely Spaced Pregnancies	Conception before 16 mos postpartum*	
333	High Parity and Young Age	Under 20 yrs of age who have had 3 or more pregnancies (greater than 20 weeks)*	
334	Lack of or Inadequate Prenatal Care	Prenatal Care beginning after 1 st trimester or too few visits (AIM assigned)*	
335	Multi-fetal Gestation	Carrying more than one fetus in current pregnancy	
336	Fetal Growth Restriction	Condition where fetus is growing at $< 10^{\text{th}}$ percentile for gestational age	
337	Hx of Birth of a Large for Gestational Age Infant	Any previous baby born at ≥ 9 lbs or any previous baby diagnosed as Large for Gestational Age	
338	Pregnant Woman Currently Breastfeeding	Breastfeeding another child while currently pregnant*	
339	Hx of Birth with Nutrition Related Congenital or Birth Defect	Hx of giving birth to a baby who has a congenital or birth defect linked to inappropriate nutrition intake (e.g. spina bifida)	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION

PREGNANT WIC CODES

341	Nutrient Deficiency Diseases	Diseases caused by insufficient intake of nutrients	
342	Gastro-intestinal Disorders	Gastro-Esophageal Reflux Disease (GERD), Peptic Ulcer, Short Bowel, Inflammatory Disease, etc	
343	Diabetes Mellitus	Type I or type 2 (diagnosed prior to pregnancy)	
344	Thyroid Disorders	Hyper or hypothyroidism	
345	Hypertension and prehypertension	High blood pressure, Pregnancy-induced high blood pressure, Preeclampsia	
346	Kidney Disease (renal)	Any kidney disease (does not include bladder infections)	
347	Cancer	Any cancer	
348	Central Nervous System Disorders	Epilepsy, Cerebral Palsy, neural tube defects, Parkinson's or Multiple Sclerosis	
349	Genetic and Congenital Disorders	Cleft palate, down's syndrome, muscular dystrophy	
351	Inborn Errors of Metabolism	PKU, Maple syrup Urine Disease or other metabolic disorders	
352	Infectious Diseases	Tuberculosis, Pneumonia, meningitis, hepatitis, bronchitis (3 episodes in 6 mos), HIV/AIDS	
353	Food Allergies	Immune response to food allergen	
354	Celiac Disease	Celiac Sprue, Gluten Enteropathy	
355	Lactose Intolerance	Inability to digest lactose	
356	Hypoglycemia	Low Blood Sugar	
358	Eating Disorders	Anorexia nervosa, bulimia.	
359	Recent Major Surgery, Trauma, Burns	Any major surgery, trauma or burns within past 2 mos or more than 2 mos if diagnosed need	
360	Other Medical Conditions	Asthma (Severe or moderate), cystic fibrosis, heart disease, Rheumatoid Arthritis	
361	Depression	Clinical Depression	
362	Developmental Delays, etc	Brain injury/impaired function, autism, etc	
371	Maternal Smoking	Any smoking of tobacco products*	
372	Alcohol and Drug Use	Any alcohol or illegal drug use*	
381	Dental Problems	Baby bottle tooth decay, cavities that impair eating	
382	Fetal Alcohol Syndrome	Also called FAS	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION PREGNANT WIC CODES

Diet Codes

Code #	Code Name	Description/Cut-off	AIM/M*	Ways to Bring it up/2 Key Messages
427.1	Consuming dietary supplements with potentially harmful effects	Exceeding recommended doses <ul style="list-style-type: none"> • Single or multi-vitamins • Mineral supplements (iron) • Herbal or botanical supplements and remedies 	M	
427.2	Diet very low in calories/essential nutrients; or hx of bariatric surgery	<ul style="list-style-type: none"> • Vegan diet • Macrobiotic diet • Other diets low in calories/nutrients • Bariatric surgery 	AIM & M	
427.3	PICA	Compulsively consuming non-food items such as: <ul style="list-style-type: none"> • Dirt, clay, starch 	AIM	
427.4	Not providing recommended supplements	<ul style="list-style-type: none"> • Not taking prenatal or a multi-vitamin supplement • Taking a gummy multi-vitamin 	M	
427.5	Consuming potentially contaminated foods	<ul style="list-style-type: none"> • Unpasteurized juice • Unpasteurized milk • Raw fish or shellfish • Smoked seafood • Hot dogs, luncheon meats not heated until steaming hot • Raw/undercooked meat • Soft, unpasteurized cheeses (queso fresco, Brie) • Raw or undercooked eggs (sunny-side, poached, soft boiled) • Raw sprouts 	M	
401	Not meeting dietary guidelines	<ul style="list-style-type: none"> • No other risk identified 	M	
601	Breastfeeding Mother	<ul style="list-style-type: none"> • Mother's milk is the primary source of nutrition for an infant 	AIM	
602	Breastfeeding Complications	<ul style="list-style-type: none"> • Severe breast engorgement • Recurrent plugged ducts • Mastitis • Flat or inverted nipples • Severely sore or damaged nipples • ≥40 years of age • Tandem nursing (not twins) 	AIM & M	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION PREGNANT WIC CODES

Environmental Codes

Code #	Code Name	Description/Cut-off	AIM/M*	Ways to Bring it up/2 Key Messages
901	Abuse	<ul style="list-style-type: none"> Physical/emotional/sexual abuse Neglect 	AIM	
902	Limited ability to prepare foods or determine when to provide food	<ul style="list-style-type: none"> ≤ 17 years of age (AIM assigns) Mental or physical disability Severe depression Hx or current substance abuse 	AIM & M	
903	Foster Care	<ul style="list-style-type: none"> In foster care ≤ 6 months 	AIM	
904	Smoke Exposure	<ul style="list-style-type: none"> Smoking or exposure to smoke 	AIM	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION POSTPARTUM WIC CODES

Growth (Anthropometric) Codes and Blood Codes

Code #	Code Name	Pre-Pregnancy BMI Cut-off	AIM Notes/ Cut-offs	In Other Words
101	Underweight		AIM uses old cut-offs. Override with a note	
111	Overweight		AIM uses old cut-offs. Manually add to Risk List	
133	High Maternal Weight Gain	<u>BMI</u> < 18.5 18.5-24.9 25.0-29.9 ≥30.0 <u>wt gain /week</u>	Code assigned in 2 nd and 3 rd trimesters. AIM uses old cut-offs. Manually add to Risk List	
201	Low Hemoglobin	Hemoglobin below the cut-off level (See Tables)	AIM	
211	Elevated Blood Lead Level	<u>Diagnosed</u> by a physician with high blood lead level	M*in Health Hx	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION

POSTPARTUM WIC CODES

Clinical/Health and Medical Codes

All Codes Must be Evaluated by Counselor in the Health History Screen

Code #	Code Name	Description/Cut-off <i>All must be <u>Diagnosed</u> Unless marked with a *</i>	In Other Words
303	Hx of Gestational Diabetes	History of Gestational Diabetes in any previous pregnancy	
304	Hx of Preeclampsia	History of Preeclampsia in any previous pregnancy	
311	Hx of Preterm Delivery	A previous baby born at ≤ 37 wks*	
312	Hx of Low Birth Weight	Any previous baby born at ≤ 5 lbs 8 oz*	
321	Hx of Fetal or Neonatal Loss	Hx of an involuntary loss of any pregnancy or any previous baby who died within first 28 days of life*	
331	Pregnancy at a Young Age	Conception ≤ 17 yrs of age*	
332	Closely Spaced Pregnancies	Conception before 16 mos postpartum*	
333	High Parity and Young Age	Under 20 yrs of age who have had 3 or more pregnancies (greater than 20 weeks)*	
335	Multi-fetal Gestation	Carrying more than one fetus in current pregnancy	
337	Hx of Birth of a Large for Gestational Age Infant	Any previous baby born at ≥ 9 lbs or any previous baby diagnosed as Large for Gestational Age	
339	Hx of Birth with Nutrition Related Congenital or Birth Defect	Hx of giving birth to a baby who has a congenital or birth defect linked to inappropriate nutrition intake (e.g. spina bifida)	
341	Nutrient Deficiency Diseases	Diseases caused by insufficient intake of nutrients	
342	Gastro-intestinal Disorders	Gastro-Esophageal Reflux Disease (GERD), Peptic Ulcer, Short Bowel, Inflammatory Disease, etc	
343	Diabetes Mellitus	Type I or type 2 (diagnosed prior to pregnancy)	
344	Thyroid Disorders	Hyper or hypothyroidism	
345	Hypertension and prehypertension	High blood pressure, Pregnancy-induced high blood pressure,	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION

POSTPARTUM WIC CODES

		Preeclampsia	
346	Kidney Disease (renal)	Any kidney disease (does not include bladder infections)	
347	Cancer	Any cancer	
348	Central Nervous System Disorders	Epilepsy, Cerebral Palsy, neural tube defects, Parkinson's or Multiple Sclerosis	
349	Genetic and Congenital Disorders	Cleft palate, down's syndrome, muscular dystrophy	
351	Inborn Errors of Metabolism	PKU, Maple syrup Urine Disease or other metabolic disorders	
352	Infectious Diseases	Tuberculosis, Pneumonia, meningitis, hepatitis, bronchitis (3 episodes in 6 mos), HIV/AIDS	
353	Food Allergies	Immune response to food allergen	
354	Celiac Disease	Celiac Sprue, Gluten Enteropathy	
355	Lactose Intolerance	Inability to digest lactose	
356	Hypoglycemia	Low Blood Sugar	
358	Eating Disorders	Anorexia nervosa, bulimia.	
359	Recent Major Surgery, Trauma, Burns	Any major surgery, trauma or burns within past 2 mos or more than 2 mos if diagnosed need	
360	Other Medical Conditions	Asthma (Severe or moderate), cystic fibrosis, heart disease, Rheumatoid Arthritis	
361	Depression	Clinical Depression	
362	Developmental Delays, etc	Brain injury/impaired function, autism, etc	
363	Pre Diabetes	Hyperglycemia	
371	Maternal Smoking	Any smoking of tobacco products*	
372	Alcohol and Drug Use	Any alcohol or illegal drug use*	
381	Dental Problems	Baby bottle tooth decay, cavities that impair eating	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION POSTPARTUM WIC CODES

Diet Codes

Code #	Code Name	Description/Cut-off	AIM/M*	Ways to Bring it up/2 Key Messages
427.1	Consuming dietary supplements with potentially harmful effects	Exceeding recommended doses <ul style="list-style-type: none"> • Single or multi-vitamins • Mineral supplements (iron) • Herbal or botanical supplements and remedies 	M	
427.2	Diet very low in calories/essential nutrients; or hx of bariatric surgery	<ul style="list-style-type: none"> • Vegan diet • Macrobiotic diet • Other diets low in calories/nutrients • Bariatric surgery 	AIM &M	
427.3	PICA	Compulsively consuming non-food items such as: <ul style="list-style-type: none"> • Dirt, clay, starch 	AIM	
427.4	Not providing recommended supplements	<ul style="list-style-type: none"> • Not taking prenatal or a multi-vitamin supplement • Taking a gummy multi-vitamin 	M	

Environmental Codes

Code #	Code Name	Description/Cut-off	AIM/M*	Ways to Bring it up/2 Key Messages
901	Abuse	<ul style="list-style-type: none"> • Physical/emotional/sexual abuse • Neglect 	AIM	
902	Limited ability to prepare foods or determine when to provide food	<ul style="list-style-type: none"> • ≤ 17 years of age (AIM assigns) • Mental or physical disability • Severe depression • Hx or current substance abuse 	AIM &M	
903	Foster Care	<ul style="list-style-type: none"> • In foster care ≤ 6 months 	AIM	
904	Smoke Exposure	<ul style="list-style-type: none"> • Smoking or exposure to smoke 	AIM	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION INFANT WIC CODES

Growth (Anthropometric) Codes and Blood Codes

Code #	Code Name	Description/Cut-off	AIM/M*	In Other Words
103	Underweight	At or below the 10 th percentile wt/ht (All ages)	AIM	
121	Short Stature	At or below the 5 th percentile length or height /age	AIM	
134	Failure to Thrive	Diagnosed by a physician with Failure to Thrive	M	
141	Low Birth Weight	Birth weight less than or equal to 5 pounds 8 ounces (Under 2)	AIM	
142	Prematurity	Born at or less than 37 weeks gestation	AIM	
151	Small for Gestational Age (SGA)	Diagnosed by a physician (under 2)	M	
153	Large for Gestational Age (LGA)	Birth weight greater than or equal to 9 pounds	AIM	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION

INFANT WIC CODES

Clinical/Health and Medical Codes

All Codes Must be Evaluated by Counselor in the Health History Screen

Code #	Code Name	Description/Cut-off <i>All must be Diagnosed</i>	In Other Words
341	Nutrient Deficiency Diseases	Diseases caused by insufficient intake of nutrients	
342	Gastro-intestinal Disorders	Gastro-Esophageal Reflux Disease (GERD), Peptic Ulcer, Short Bowel, Inflammatory Disease, etc	
343	Diabetes Mellitus	Type I or type 2	
344	Thyroid Disorders	Hyper or hypothyroidism	
345	Hypertension and prehypertension	High blood pressure	
346	Kidney Disease (renal)	Any kidney disease	
347	Cancer	Any cancer	
348	Central Nervous System Disorders	Epilepsy, Cerebral Palsy, neural tube defects, Parkinson's or Multiple Sclerosis	
349	Genetic and Congenital Disorders	Cleft palate, down's syndrome, muscular dystrophy	
351	Inborn Errors of Metabolism	PKU, Maple syrup Urine Disease or other metabolic disorders	
352	Infectious Diseases	Tuberculosis, Pneumonia, meningitis, hepatitis, bronchitis (3 episodes in 6 mos), HIV/AIDS	
353	Food Allergies	Immune response to food allergen	
354	Celiac Disease	Celiac Sprue, Gluten Enteropathy	
355	Lactose Intolerance	Inability to digest lactose	
356	Hypoglycemia	Low Blood Sugar	
359	Recent Major Surgery, Trauma, Burns	Any major surgery, trauma or burns within past 2 mos or more than 2 mos if diagnosed need	
360	Other Medical Conditions	Asthma (Severe or moderate), cystic fibrosis, heart disease, Juvenile Rheumatoid Arthritis	
362	Developmental Delays, etc	Brain injury/impaired function, autism, etc	
381	Dental Problems	Baby bottle tooth decay, cavities that impair eating	
382	Fetal Alcohol Syndrome	Also called FAS	

CSI: WIC EDITION INFANT WIC CODES

Diet Codes

Code #	Code Name	Description/Cut-off	AIM/ M*	Ways to Bring it up/2 Key Messages
411.1	Using a substitute(s) for breastmilk or iron-fortified formula	<ul style="list-style-type: none"> Low iron formula Cow's, sheep's, or goat's milk, (canned, powdered or sweetened) Substitute milk (rice, soy, almond, non dairy creamer) 	AIM	
411.2	Improperly using nursing bottles or cups	<ul style="list-style-type: none"> Fruit juice/ sugar-containing fluids/cereal Falling asleep Used as a pacifier Propping bottle 	AIM	
411.3	Feeding complementary foods that are inappropriate in type or timing	<ul style="list-style-type: none"> Food before 4 months Sugar, honey or syrup to any beverage, food or pacifier 	AIM &M	
411.4	Feeding that disregards the developmental age	<ul style="list-style-type: none"> Not recognizing hunger/satiety Choking foods Not allowing self-feeding Not advancing texture when needed 	AIM &M	
411.5	Feeding potentially contaminated foods	<ul style="list-style-type: none"> Unpasteurized juice Unpasteurized dairy Raw/undercooked meat Deli meat, hot dogs not heated 	AIM &M	
411.6	Inappropriately diluted formula	<ul style="list-style-type: none"> Not following recommended instructions 	AIM	
411.7	Limiting the frequency of nursing	<ul style="list-style-type: none"> Scheduled feedings <8 feedings in 24hrs for infant < 2 months age <6 feeding in 24hrs for infant 2-6 months age 	AIM	
411.8	Feeding a diet very low in calories or essential nutrients	<ul style="list-style-type: none"> Vegan Macrobiotic 	M	
411.9	Inappropriate sanitation, preparation, storage and handling of breastmilk or formula	<ul style="list-style-type: none"> Re-feeding or refreezing Thawing using a microwave Holding milk at room temp or in refrigerator past recommendations 	AIM	
411.10	Potentially harmful supplements	<p>Excessive</p> <ul style="list-style-type: none"> Single/multi-vitamin Mineral supplements (iron) Herbal or Botanical supplements or teas 	M	
411.11	Not providing recommended supplements	<ul style="list-style-type: none"> Not providing a vitamin D supplement 	M	
428	Not meeting dietary guidelines	<ul style="list-style-type: none"> No other risk identified ≥4 months ≤23 months 	M	
603	Breastfeeding concerns for baby	<ul style="list-style-type: none"> Difficulty latching Weak suck Jaundice or inadequate stooling 	AIM & M	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION INFANT WIC CODES

Environmental Codes

Code #	Code Name	Description/Cut-off	AIM/M*	Ways to Bring it up/2 Key Messages
901	Abuse	<ul style="list-style-type: none"> Physical/emotional/sexual abuse Neglect 	AIM	
902	Limited ability to prepare foods or determine when to provide food	<ul style="list-style-type: none"> ≤ 17 years of age (AIM assigns) Mental or physical disability Severe depression Hx or current substance abuse 	AIM & M	
903	Foster Care	<ul style="list-style-type: none"> In foster care ≤ 6 months 	AIM	
904	Smoke Exposure	<ul style="list-style-type: none"> Smoking or exposure to smoke 	AIM	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION CHILD WIC CODES

Growth (Anthropometric) Codes and Blood Codes

Code #	Code Name	Description/Cut-off	AIM/M*	In Other Words
103	Underweight	At or below the 10 th percentile wt/ht (All ages)	AIM	
113	Overweight	At or above the 95 th percentile wt/ht (Over 2)	AIM	
121	Short Stature	At or below the 10 th percentile length or height /age	AIM	
134	Failure to Thrive	<u>Diagnosed</u> by a physician with Failure to Thrive	M	
141	Low Birth Weight	Birth weight less than or equal to 5 pounds 8 ounces (Under 2)	AIM	
142	Prematurity	Born at or less than 37 weeks gestation	AIM	
151	Small for Gestational Age (SGA)	<u>Diagnosed</u> by a physician (under 2)	M	
153	Large for Gestational Age (LGA)	Birth weight greater than or equal to 9 pounds	AIM	
201	Low Hemoglobin	Hemoglobin below the cut-off level (See Tables)	AIM	
211	Elevated Blood Lead Level	<u>Diagnosed</u> by a physician with high blood lead level	M	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION CHILD WIC CODES

Clinical/Health and Medical Codes

All Codes Must be Evaluated by Counselor in the Health History Screen

Code #	Code Name	Description/Cut-off <i>All must be Diagnosed</i>	In Other Words
341	Nutrient Deficiency Diseases	Diseases caused by insufficient intake of nutrients	
342	Gastro-intestinal Disorders	Gastro-Esophageal Reflux Disease (GERD), Peptic Ulcer, Short Bowel, Inflammatory Disease, etc	
343	Diabetes Mellitus	Type 1 or type 2	
344	Thyroid Disorders	Hyper or hypothyroidism	
345	Hypertension and prehypertension	High blood pressure	
346	Kidney Disease (renal)	Any kidney disease	
347	Cancer	Any cancer	
348	Central Nervous System Disorders	Epilepsy, Cerebral Palsy, neural tube defects, Parkinson's or Multiple Sclerosis	
349	Genetic and Congenital Disorders	Cleft palate, down's syndrome, muscular dystrophy	
351	Inborn Errors of Metabolism	PKU, Maple syrup Urine Disease or other metabolic disorders	
352	Infectious Diseases	Tuberculosis, Pneumonia, meningitis, hepatitis, bronchitis (3 episodes in 6 mos), HIV/AIDS	
353	Food Allergies	Immune response to food allergen	
354	Celiac Disease	Celiac Sprue, Gluten Enteropathy	
355	Lactose Intolerance	Inability to digest lactose	
356	Hypoglycemia	Low Blood Sugar	
359	Recent Major Surgery, Trauma, Burns	Any major surgery, trauma or burns within past 2 mos or more than 2 mos if diagnosed need	
360	Other Medical Conditions	Asthma (Severe or moderate), cystic fibrosis, heart disease, Juvenile Rheumatoid Arthritis	
361	Depression	Clinical Depression	
362	Developmental Delays, etc	Brain injury/impaired function, autism, etc	
381	Dental Problems	Baby bottle tooth decay, cavities that impair eating	
382	Fetal Alcohol Syndrome	Also called FAS	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION CHILD WIC CODES

Diet Codes

Code #	Code Name			
401	Not meeting dietary guidelines	<ul style="list-style-type: none"> No other risk identified >2 	M	
425.1	Feeding Inappropriate Milk Sources	<ul style="list-style-type: none"> Non-fat or reduced fat (<2 yrs) Sweetened condensed or unfortified imitation milks (all ages) 	AIM &M	
425.2	Feeding any sugar-containing fluids	<ul style="list-style-type: none"> Soda/soft drinks Gelatin water Corn-syrup Sweetened tea 	AIM &M	
425.3	Using nursing bottles, cups or pacifiers improperly	<ul style="list-style-type: none"> Fruit juice/cereal Falling asleep Used as a pacifier Any use older than 14 mos 	AIM &M	
425.4	Using feeding practices that disregard developmental needs	<ul style="list-style-type: none"> Not recognizing hunger/satiety Choking foods Not allowing self-feeding Not advancing texture when needed 	AIM &M	
425.5	Feeding potentially contaminated foods	<ul style="list-style-type: none"> Unpasteurized juice Unpasteurized dairy Raw/undercooked meat Deli meat, hot dogs not heated 	M	
425.6	Diet very low in calories/essential nutrients	<ul style="list-style-type: none"> Vegan diet Macrobiotic diet Other diets low in calories/nutrients 	M	
425.7	Potentially harmful supplements	<p>Excessive</p> <ul style="list-style-type: none"> Single/multi-vitamin Mineral supplements (iron) Herbal or botanical supplements/teas 	M	
425.8	Not providing recommended supplements	<p>No Vitamin D Supplement</p> <ul style="list-style-type: none"> Providing a gummy Not providing a MVI or vitamin D supplement 	M	
425.9	PICA	<p>Compulsively consuming non-food items such as:</p> <ul style="list-style-type: none"> Dirt, clay, starch 	AIM	
428	Not meeting dietary guidelines	<ul style="list-style-type: none"> No other risk identified <2 	M	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes

CSI: WIC EDITION CHILD WIC CODES

Environmental Codes

Code #	Code Name	Description/Cut-off	AIM/M*	Ways to Bring it up/2 Key Messages
901	Abuse	<ul style="list-style-type: none"> • Physical/emotional/sexual abuse • Neglect 	AIM	
902	Limited ability to prepare foods or determine when to provide food	<ul style="list-style-type: none"> • ≤ 17 years of age (AIM assigns) • Mental or physical disability • Severe depression • Hx or current substance abuse 	AIM & M	
903	Foster Care	<ul style="list-style-type: none"> • In foster care ≤ 6 months 	AIM	
904	Smoke Exposure	<ul style="list-style-type: none"> • Smoking or exposure to smoke 	AIM	

*AIM = AIM auto-assigned codes

M=Manually Assigned/Counselor Assigned Codes